

S64	48	((shortest adj path) same hop adj count) and (@ad<"20001023" or @prad<"20001023")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/02 13:17
S68	559595	(start near4 end) or (source near4 destination) or (requesting near4 (destination or respond\$4)) or (client near4 server) or (two near3 (endpoint or node or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:22
S69	382292	(select\$4 or choos\$3 or chosen or designat\$4 or indicat\$4) near4 (user or operator or manager or administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S70	4023	S68 with S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:23
S71	2421	(select\$4 or choos\$3 or connect\$4 or session) near4 (path or route) near4 S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:43
S72	15635	(path or route) near4 (shortest or fastest or closest or quickest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:33
S73	124	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:24
S74	35	S70 and S71 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:25
S75	848457	(parameter or type) near5 (connection or node or link or device or connector or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:26
S76	34	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:26

S77	9	S76 and (@ad<"20001023" or @prad<"20001023")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S78	39625	(path or route) near4 (shortest or fastest or closest or quickest or optim\$2 or best or efficient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:39
S79	47	S70 and S71 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:39
S80	8	S79 and (@ad<"20001023" or @prad<"20001023") not S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:39
S81	10131	(select\$4 or choos\$3 or connect\$4 or session or determin\$5) near4 (path or route or link) near4 (optim\$2 or shortest or closest or fastest or quickest or best)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S82	10159	(select\$4 or choos\$3 or connect\$4 or session or determin\$5) near4 (optim\$2 or shortest or closest or fastest or quickest or best) near4 (path or route or link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S83	87	S70 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S84	48	S83 and (@ad<"20001023" or @prad<"20001023")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S85	9	S70 same S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:46
S86	6	S85 and (@ad<"20001023" or @prad<"20001023")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:47

S87	12	("5600638"   "5732072"   "5781624"   "5848145"   "5854899"   "5854903"   "6016306"   "6067572"   "6091720"   "6304556"   "6314093"   "6456600").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/16 17:03
S88	14	("6314093").URPN.	USPAT	OR	ON	2005/03/16 16:52
S89	1	"6314093".pn. and (topology or database)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/17 12:37
S90	1	"5926463".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/18 11:15